


Oil Pattern Distance	38	Reverse Brush Drop	30	Oil Per Board	55 ul
Forward Oil Total	19.14 mL	Reverse Oil Total	9.515 mL	Volume Oil Total	28.655 mL
Tank Configuration	N/A	Tank A Conditioner	Navigate	Tank B Conditioner	Current

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	6	18	4	A	222	0.0	12.7	12.7	12210
2	2L	5R	1	18	4	A	34	12.7	15.2	2.5	1870
3	6L	6R	1	18	4	A	29	15.2	17.7	2.5	1595
4	8L	8R	1	18	4	A	25	17.7	20.2	2.5	1375
5	10L	10R	1	22	4	A	21	20.2	23.3	3.1	1155
6	12L	12R	1	22	4	A	17	23.3	26.4	3.1	935
7	2L	2R	0	22	4	A	0	26.4	30.0	3.6	0
8	2L	2R	0	22	2	A	0	30.0	38.0	8.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	3	A	0	38.0	24.0	-14.0	0
2	11L	11R	2	18	3	A	38	24.0	18.9	-5.1	2090
3	9L	9R	2	18	3	A	46	18.9	13.8	-5.1	2530
4	7L	7R	2	18	3	A	54	13.8	8.7	-5.1	2970
5	2L	4R	1	18	3	A	35	8.7	6.2	-2.5	1925
6	2L	2R	0	14	3	A	0	6.2	0.0	-6.2	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



High Buff & Cliff Can Utilize w/ Ice or Navigate

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.05	1.18	1	1	1.18	2.2

