

1T 2023 PWBA Stockton Open



Oil Pattern Distance **Forward Oil Total Tank Configuration**

43 25.95 mL Multi Tank

Reverse Brush Drop Reverse Oil Total Tank A Conditioner

37 2.5 mL **Curve** Oil Per Board **Volume Oil Total Tank B Conditioner**

50 ul 28.45 mL Curve

START STOP LOADS SPEED BUFFER TANK CROSSED START END FEET T.OIL 1 2L 2R 6 10 3 A 222 0.0 7.0 7.0 1100 2 3L 3R 1 14 3 A 35 7.0 8.9 1.9 1750 3 6L 6R 2 14 3 A 58 8.9 12.8 3.9 2900 4 9L 9R 3 14 3 A 69 12.8 18.7 5.9 3450 5 10L 10R 3 18 3 A 63 18.7 26.3 7.6 3150 6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 3 31.4 3.												
2 3L 3R 1 14 3 A 35 7.0 8.9 1.9 1750 3 6L 6R 2 14 3 A 58 8.9 12.8 3.9 2900 4 9L 9R 3 14 3 A 69 12.8 18.7 5.9 3450 5 10L 10R 3 18 3 A 63 18.7 26.3 7.6 3150 6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0		START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
3 6L 6R 2 14 3 A 58 8.9 12.8 3.9 2900 4 9L 9R 3 14 3 A 69 12.8 18.7 5.9 3450 5 10L 10R 3 18 3 A 63 18.7 26.3 7.6 3150 6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	1	2L	2R	6	10	3	Α	222	0.0	7.0	7.0	11100
4 9L 9R 3 14 3 A 69 12.8 18.7 5.9 3450 5 10L 10R 3 18 3 A 63 18.7 26.3 7.6 3150 6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	2	3L	3R	1	14	3	Α	35	7.0	8.9	1.9	1750
5 10L 10R 3 18 3 A 63 18.7 26.3 7.6 3150 6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	3	6L	6R	2	14	3	Α	58	8.9	12.8	3.9	2900
6 11L 11R 2 18 3 A 38 26.3 31.4 5.1 1900 7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	4	9L	9R	3	14	3	Α	69	12.8	18.7	5.9	3450
7 12L 12R 2 18 3 A 34 31.4 36.5 5.1 1700 8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	5	10L	10R	3	18	3	Α	63	18.7	26.3	7.6	3150
8 2L 2R 0 22 3 A 0 36.5 40.0 3.5 0	6	11L	11R	2	18	3	Α	38	26.3	31.4	5.1	1900
	7	12L	12R	2	18	3	Α	34	31.4	36.5	5.1	1700
9 2L 2R 0 26 3 A 0 40.0 43.0 3.0 0	8	2L	2R	0	22	3	Α	0	36.5	40.0	3.5	0
	9	2L	2R	0	26	3	Α	0	40.0	43.0	3.0	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	3	В	0	43.0	12.0	-31.0	0
2	8L	8R	2	14	3	В	50	12.0	8.1	-3.9	2500
3	2L	2R	0	14	3	В	0	8.1	0.0	-8.1	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA Forward Reverse Combined



Kegel Curve Oil @ 50 ML Pump Setting

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.69	1.28	1	1	1.28	2.69



