


Oil Pattern Distance	38	Reverse Brush Drop	38	Oil Per Board	55 ul
Forward Oil Total	14.355 mL	Reverse Oil Total	6.93 mL	Volume Oil Total	21.285 mL
Tank Configuration	B Only	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	22	3	B	148	0.0	9.3	9.3	8140
2	2L	6R	1	22	3	B	33	9.3	12.4	3.1	1815
3	4L	8R	1	22	3	B	29	12.4	15.5	3.1	1595
4	10L	10R	1	22	3	B	21	15.5	18.6	3.1	1155
5	12L	12R	1	22	3	B	17	18.6	21.7	3.1	935
6	14L	14R	1	22	3	B	13	21.7	24.8	3.1	715
7	2L	2R	0	22	3	B	0	24.8	38.0	13.2	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	22	3	B	0	38.0	28.0	-10.0	0
2	13L	13R	1	22	3	B	15	28.0	24.9	-3.1	825
3	11L	11R	1	22	3	B	19	24.9	21.8	-3.1	1045
4	9L	9R	1	22	3	B	23	21.8	18.7	-3.1	1265
5	2L	7R	1	22	3	B	32	18.7	15.6	-3.1	1760
6	2L	2R	1	22	3	B	37	15.6	12.5	-3.1	2035
7	2L	2R	0	22	3	B	0	12.5	0.0	-12.5	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	1.79	1.4	1.01	1.01	1.4	2.5

