




# 2P - 2026 PWBA NORTHERN COLORADO OPEN PTQ



<b>DISTANCE:</b>	<b>44 FEET</b>	<b>VOLUME:</b>	<b>27.85 mL</b>
<b>RATIO:</b>	<b>2.02:1</b>	<b>FORWARD:</b>	<b>16.1 mL</b>
<b>DROP BRUSH:</b>	<b>36 FEET</b>	<b>REVERSE:</b>	<b>11.75 mL</b>
<b>TANKS:</b>	<b>CURRENT &amp; ICE</b>	<b>PUMP:</b>	<b>50µL</b>



### FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	6	50	14	500	A - CURRENT	0 → 10	11,100
2	6L	6R	2	50	18	500	A - CURRENT	10 → 15	2,900
3	10L	10R	2	50	18	500	A - CURRENT	15 → 20	2,100
4	2L	2R	0	50	22	500	A - CURRENT	20 → 34	0
5	2L	2R	0	50	22	350	A - CURRENT	34 → 40	0
6	2L	2R	0	50	22	100	A - CURRENT	40 → 44	0

### REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	500	B - ICE	36 → 25	0
2	12L	12R	1	50	18	500	B - ICE	25 → 22	850
3	11L	11R	1	50	18	500	B - ICE	22 → 20	950
4	10L	10R	1	50	18	500	B - ICE	20 → 17	1,050
5	8L	8R	1	50	18	500	B - ICE	17 → 15	1,250
6	7L	7R	1	50	14	500	B - ICE	15 → 13	1,350
7	6L	6R	2	50	14	500	B - ICE	13 → 9	2,900
8	5L	5R	1	50	14	500	B - ICE	9 → 7	1,550
9	2L	2R	1	50	14	500	B - ICE	7 → 5	1,850
10	2L	2R	0	50	10	500	B - ICE	5 → 0	0

### THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | DUAL CONDITIONING TANKS | REVERSE DROP BRUSH  
 This pattern may require adjustments if using a lane machine that does not have these features

Created Apr 15, 2026 - Rendered for Atlas Pro.



**KEGEL PATTERN LIBRARY APP**



[PATTERNLIBRARY.KEGEL.NET](https://patternlibrary.kegel.net)



SCAN QR CODE FOR  
 MORE PATTERNS ON  
 KEGEL PATTERN  
 LIBRARY

