




2025 U.S. OPEN (PTQ PATTERN)



DISTANCE:	41 FEET	VOLUME:	34.5 mL
RATIO:	1.18:1	FORWARD:	18.5 mL
DROP BRUSH:	35 FEET	REVERSE:	16 mL
TANKS:	ICE	PUMP:	50µL



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	3	50	14	500	B - ICE	0 → 4	5,550
2	2L	2R	4	50	18	500	B - ICE	4 → 14	7,400
3	2L	2R	3	50	18	500	B - ICE	14 → 22	5,550
4	2L	2R	0	50	18	500	B - ICE	22 → 33	0
5	2L	2R	0	50	18	500	B - ICE	33 → 37	0
6	2L	2R	0	50	22	300	B - ICE	37 → 41	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	50	30	500	B - ICE	35 → 31	0
2	8L	8R	3	50	18	500	B - ICE	31 → 23	3,750
3	3L	3R	4	50	18	500	B - ICE	23 → 13	7,000
4	3L	3R	3	50	14	500	B - ICE	13 → 7	5,250
5	2L	2R	0	50	10	500	B - ICE	7 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | REVERSE DROP BRUSH

This pattern may require adjustments if using a lane machine that does not have these features

Created Nov 30, 2024 - Rendered for Atlas Pro.



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE FOR
MORE PATTERNS ON
KEGEL PATTERN
LIBRARY

