


Oil Pattern Distance	50	Reverse Brush Drop	38	Oil Per Board	60 ul
Forward Oil Total	15.18 mL	Reverse Oil Total	7.26 mL	Volume Oil Total	22.44 mL
Tank Configuration	A Only	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	22	3	A	148	0.0	9.3	9.3	8880
2	6L	6R	1	22	3	A	29	9.3	12.4	3.1	1740
3	8L	8R	1	22	3	A	25	12.4	15.5	3.1	1500
4	10L	10R	1	22	3	A	21	15.5	18.6	3.1	1260
5	12L	12R	1	22	3	A	17	18.6	21.7	3.1	1020
6	14L	14R	1	22	3	A	13	21.7	24.8	3.1	780
7	2L	2R	0	22	3	A	0	24.8	50.0	25.2	0

	START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	22	3	A	0	50.0	28.0	-22.0	0
2	13L	13R	1	22	3	A	15	28.0	24.9	-3.1	900
3	11L	11R	1	22	3	A	19	24.9	21.8	-3.1	1140
4	9L	9R	1	22	3	A	23	21.8	18.7	-3.1	1380
5	7L	7R	1	22	3	A	27	18.7	15.6	-3.1	1620
6	2L	2R	1	22	3	A	37	15.6	12.5	-3.1	2220
7	2L	2R	0	22	3	A	0	12.5	0.0	-12.5	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



--

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.5	1.4	1.01	1.01	1.4	2.5

